



SUZUKI SERVICE PLANS

A GUIDE TO WHAT'S INCLUDED
IN YOUR SERVICE



CONTENTS

GSX1300R HAYABUSA	3
GSX-S1000/GT	4
GSX-R1000	5
GSX-S950	6
GSX-8S	7
SV650	8
V-STROM 1050/DE	9
V-STROM 800/DE	10
V-STROM 650/XT	11
BURGMAN 400	12
GSX-R125	13
GSX-S125	14
BURGMAN STREET 125EX	15
AVENIS 125	16
ADDRESS 125	17



GSX1300R Hayabusa				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
Throttle cable play		I	I	I
PAIR (air supply) system		-	I	-
Throttle bore cleaning		I	I	I
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch fluid		I	R	I
Clutch hose		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten



GSX-S1000/GT				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Exhaust control valve		-	I	-
Valve clearance		-	-	I
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Throttle bore cleaning		I	I	I
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten



GSX-R1000				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Exhaust control valve		I	I	I
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		R	R	R
Throttle cable play		I	I	I
PAIR (air supply) system		-	I	-
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten



GSX-S950				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Exhaust control valve		-	I	-
Valve clearance		-	-	I
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Throttle bore cleaning		I	I	I
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





GSX-8S				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





SV650				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
Throttle cable play		I	I	I
PAIR (air supply) system		-	I	-
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:
 I = Inspect: clean, adjust, replace or lubricate as necessary
 R = Replace
 T = Tighten





V-Strom 1050/DE				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Valve clearance		-	I	-
Spark plugs		I	R	I
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Radiator hose		I	I	I
Clutch hose		I	I	I
Clutch fluid		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Spoke wheel		T	T	T
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





V-Strom 800/DE				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Spoke wheel		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:
 I = Inspect: clean, adjust, replace or lubricate as necessary
 R = Replace
 T = Tighten





V-Strom 650/XT				
OPERATION	Months	12	24	36
	Miles	7500	15000	22500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Valve clearance		-	I	-
Spark plugs		R	R	R
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
PAIR (air supply) system		-	I	-
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		I	I	I
		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Spoke wheel		T	T	T
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:
 I = Inspect: clean, adjust, replace or lubricate as necessary
 R = Replace
 T = Tighten





Burgman 400				
OPERATION	Months	12	24	36
	Miles	4000	7500	11000
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		T	T	T
Spark plugs		-	R	-
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	-	R
Final reduction gear oil		-	R	-
Throttle cable play		I	I	I
PAIR (air supply) system (M2 -)		-	I	-
Radiator hose		I	I	I
Cooling fan filter		I	I	I
Clutch shoe (M2 -)		-	I	-
Drive V belt		-	I	-
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		I	I	I
Front forks		I	I	I
Rear suspension		I	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





GSX-R125				
OPERATION	Months	12	24	36
	Miles	2500	5000	7500
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		I	R	I
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Engine oil filter		-	R	-
Throttle cable play		I	I	I
PAIR (air supply) system		I	I	I
Throttle valve synchronisation		I	I	I
Radiator hose		I	I	I
Clutch cable play		I	I	I
Drive chain		Clean & lube every 600 miles		
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		-	I	I
Front forks		-	I	I
Rear suspension		-	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten



GSX-S125				
OPERATION	Months	12	24	36
	Miles	2500	5000	7500
Air filter element	I	I	R	
Exhaust pipe bolts and muffler bolts	-	T	-	
Valve clearance	-	I	-	
Spark plugs	I	R	I	
Fuel hose	I	I	I	
Evaporative emission control system (if equipped)	-	I	-	
Engine oil MOTUL	R	R	R	
Engine oil filter	-	R	-	
Throttle cable play	I	I	I	
PAIR (air supply) system	I	I	I	
Throttle valve synchronisation	I	I	I	
Radiator hose	I	I	I	
Clutch cable play	I	I	I	
Drive chain	I	I	I	Clean & lube every 600 miles
Brakes	I	I	I	
Brake fluid	I	R	I	
Brake hose	I	I	I	
Tyres	I	I	I	
Steering	-	I	I	
Front forks	-	I	I	
Rear suspension	-	I	I	
Chassis bolts and nuts	T	T	T	

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:
 I = Inspect: clean, adjust, replace or lubricate as necessary
 R = Replace
 T = Tighten





Avenis 125				
OPERATION	Months	12	24	36
	Miles	2400	4800	7200
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		I	R	I
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Oil strainer		-	I	-
Gear oil		-	R	-
Throttle cable play		I	I	I
Idle speed		I	I	I
Drive belt		I	I	I
Radiator hose		I	I	I
Clutch shoe		I	I	I
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		-	I	I
Front forks		-	I	I
Rear suspension		-	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





Address 125				
OPERATION	Months	12	24	36
	Miles	2400	4800	7200
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		I	R	I
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Oil strainer		-	I	-
Gear oil		-	R	-
Throttle cable play		I	I	I
Idle speed		I	I	I
Drive belt		I	I	I
Radiator hose		I	I	I
Clutch shoe		I	I	I
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		-	I	I
Front forks		-	I	I
Rear suspension		-	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten





Burgman Street 125EX				
OPERATION	Months	12	24	36
	Miles	2400	4800	7200
Air filter element		I	I	R
Exhaust pipe bolts and muffler bolts		-	T	-
Valve clearance		-	I	-
Spark plugs		I	R	I
Fuel hose		I	I	I
Evaporative emission control system (if equipped)		-	I	-
Engine oil MOTUL		R	R	R
Oil strainer		-	I	-
Gear oil		-	R	-
Throttle cable play		I	I	I
Idle speed		I	I	I
Drive belt		I	I	I
Radiator hose		I	I	I
Clutch shoe		I	I	I
Brakes		I	I	I
Brake fluid		I	R	I
Brake hose		I	I	I
Tyres		I	I	I
Steering		-	I	I
Front forks		-	I	I
Rear suspension		-	I	I
Chassis bolts and nuts		T	T	T

We recommend that your Suzuki motorcycle is serviced every 12-months, or at the mileage intervals indicated, whichever is the sooner.

NOTE:

I = Inspect: clean, adjust, replace or lubricate as necessary

R = Replace

T = Tighten

